

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	US-5138304-\$.DID. OR US-5765113-\$.DID. OR US-5847305-\$.DID. OR US-6035350-\$.DID. OR US-6211870-\$.DID. OR US-5832296-\$.DID. OR US-5826042-\$.DID. OR US-6538687-\$.DID. OR US-6414728-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 15:29
S2	6346	(detect\$4 determin\$4) with (remov\$5 detach\$4 uncoupl\$4 separat\$4) with (peripheral I/O device remote apparatus) with (video display presentation monitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:29
S3	185	(detect\$4 determin\$4) with (remov\$5 detach\$4 uncoupl\$4 separat\$4) with (peripheral I/O device remote apparatus) with (configur\$4 initiat\$4 set?up) with (video display presentation monitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:32
S4	91	S3 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 14:33
S5	0	((remot\$5 near3 control) with reconfigur\$4) same presentation	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 15:33
S6	208	((remot\$5 near3 control) with reconfigur\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 15:33
S7	11	((remot\$5 near3 control) with reconfigur\$4) with display	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 15:35
S8	14	((remot\$5 near3 control) with reconfigur\$4) with (output display)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/26 15:36
S9	5721	(peripheral i/o device apparatus) with (disabl\$4 inoperabl\$4 charg\$4) with (connect\$4 coupl\$4 attach\$4) with (host computer pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:59

## EAST Search History

S10	1165	(peripheral i/o device apparatus) near3 (disabl\$4 inoperabl\$4 charg\$4) near3 (connect\$4 coupl\$4 attach\$4) near3 (host computer pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:44
S11	60	(peripheral i/o device apparatus) near3 (disabl\$4 inoperabl\$4) near3 (connect\$4 coupl\$4 attach\$4) near3 (host computer pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:06
S12	939120	S11 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 09:45
S13	29	S11 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 07:01
S14	495	(remote near3 control\$4) with (dock\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:27
S15	29	S13 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:07
S16	196	S14 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:27
S17	266	(remote near3 control\$4) with ((dock) (docking near3 station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:35
S18	101	S17 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:42
S19	1	(remote near3 control\$4) with ((dock) (docking near3 station)) with (disabl\$4 inoperable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:41

## EAST Search History

S20	123	((docking near3 station)) with (disabl\$4 inoperable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 10:41
S21	73	S20 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:05
S22	11457	(disabl\$4 inoperabl\$4 off) with (connect\$4 coupl\$4 attach\$4) with (host computer pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:01
S23	1234	(disabl\$4 inoperabl\$4 off) near3 (connect\$4 coupl\$4 attach\$4) near3 (host computer pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 07:14
S24	1119	(disabl\$4 inoperabl\$4 off) near3 (connect\$4 coupl\$4 attach\$4) near3 (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 11:04
S25	196	(disabl\$4 inoperabl\$4) near3 (connect\$4 coupl\$4 attach\$4) near3 (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 06:56
S26	121	S25 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 07:14
S27	214	(disabl\$4 inoperabl\$4 off) near3 (peripheral i/o apparatus device) near3 (connect\$4 coupl\$4 attach\$4) near3 (host computer pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 07:14
S28	101	S27 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:18
S29	343	(re?charg\$4 charg\$4) with (inoperable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 07:39

## EAST Search History

S30	1348	battery with (re?charg\$4 charg\$4) with (inoperabl\$4 disabl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 07:39
S31	70	battery with (re?charg\$4 charg\$4) with (inoperabl\$4 disabl\$4) with (peripheral i?o apparatus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 07:40
S32	44	S31 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:05
S33	2	"20040100446".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:03
S34	854	(inoperable inactive disabled) with (connected coupled attached docked) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:05
S35	51	peripheral with (inoperable inactive disabled) with (connected coupled attached docked) with (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:05
S36	20127453	14and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:05
S37	37	S35 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 12:24
S38	1813	(remote near3 control\$4) with (disabl\$4 inoperativ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 12:22
S39	88	(remote near3 control\$4) with (disabl\$4 inoperativ\$4) with (host computer laptop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:18

## EAST Search History

S40	41	S39 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 08:18
S41	687	(remote near3 control\$4) near3 (disabl\$4 inoperativ\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 12:22
S42	472	S41 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 12:25
S43	412	S41 and ((connect\$4 attach\$4 coupl\$4) with (host pc computer laptop device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 12:25
S44	272	S43 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 12:25
S45	14268	(disabl\$4 inoperabl\$4) near3 (connect\$4 coupl\$4 attach\$4 insert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 06:57
S46	4229	(disabl\$4 inoperabl\$4) near3 (connect\$4 coupl\$4 attach\$4 insert\$4) with (host device apparatus terminal computer pc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 06:58
S47	1414	(peripheral i?o input?output external) with (disabl\$4 inoperabl\$4) with (connect\$4 coupl\$4 attach\$4 insert\$4) with (host device apparatus terminal computer pc machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 07:00
S48	315	(peripheral i?o input?output external) near5 (disabl\$4 inoperabl\$4) near5 (connect\$4 coupl\$4 attach\$4 insert\$4) near5 (host device apparatus terminal computer pc machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 07:01

## EAST Search History

S50	200	S48 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:21
S51	4605	(pc computer host) near3 (program\$6) near3 (remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:24
S52	216	(pc computer host) near3 (programmable) near3 (remote)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:25
S53	24	(pc computer host) near3 (programmable) near3 (remote adj control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 08:25
S54	8	S53 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 09:03
S55	2	bronson.inv. and (remote near3 control) with (inoperable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:05
S56	77	(peripheral i/o device apparatus) near3 (deactivat\$4) with (recharg\$4 charg\$4) with (connect\$4 coupl\$4 attach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:09
S57	39	S56 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:15
S58	240	(peripheral i/o device apparatus) near3 (deactivat\$4) with (recharg\$4 charg\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:15
S59	114	S58 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:10

## EAST Search History

S60	657	(peripheral i/o device apparatus) with (deactivat\$4) with (recharg\$4 charg\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:15
S61	343	S60 and (@ad<="20001017" or @rlad<="20001017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:26
S62	1465	(deactivat\$4 disabl\$4) with (trackpad trackball mouse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:27
S63	11	(deactivat\$4 disabl\$4) with (trackpad trackball mouse) with (laptop (portable near3 computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:27
S64	2	"6035350".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 10:36
S65	2	"5584010".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 11:27